

AUTOMATED DEVICE FOR STANDARDIZED CELL THAWING

NEW

...there is a better way than warming the frozen vial in hands

- ◆ Every time the same thawing conditions enable **standardization** within cell cryopreservation workflow
- ◆ Detailed operation log files are recorded to ensure **traceability** (including temperature trends of the block and the surface of the vial)
- ◆ Consistent temperature control for the highest **safety** of your sample
- ◆ Automatic cooling **preserves** the sample after finishing of thawing
- ◆ Convenient acoustic alarm
- ◆ Integrated barcode and QR code reader for easy sample **identification**
- ◆ Memory for up to 4 thawing programs
- ◆ 2 operation modes: stand-alone device or PC-operated (up to 6 units/PC)
- ◆ Intended for cryogenic vials 1-6 ml (H 92 mm x D 25 mm)
- ◆ Temperature range 5 – 50 °C, typical thawing time (-80 °C to 0 °C) ca 3-4 min

Made in the Czech Republic



OEM version available



Ver01_10/2018



EUROPEAN UNION
European Regional Development Fund
OP Entrepise and Innovations
for Competitiveness

PRODUCER

DYNEX TECHNOLOGIES, spol. s r.o.
Place of business: Lidická 977, 273 43 Bustehrad, The Czech Republic
Headquarters: Vodickova 791/41, 110 00 Praha 1, The Czech Republic
tel.: + 420 220 303 600, fax: +420 224 320 133
email: export@dynex.cz
www.dynex.eu



DISTRIBUTOR